EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 11:32
L2	7	L1 and (photograph$3 or film$3 or camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 11:33
L3	19	L1 and (photograph$3 or film$3 or camera imag$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:24

L4	19	L1 and (photograph$3 or film$3 or camera or imag$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
L5	25	L1 and (photograph$3 or film$3 or camera or imag$3 or graphic$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
L6	1	(((program or source or code) near6 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar$4 or check$3) near4 (number near2 (paramete$2))) and photograph$3 and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:52
L7	1	(((program or source or code) near6 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar$4 or check$3) near4 (number near2 (paramete$2))) and (photograph$3 or film$3) and(@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:53

L8	7	(((program or source or code) near6 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar$4 or check$3) near4 (number near2 (inpu$2 or paramete$2))) and (photograph$3 or film$3) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:55
L9	32	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 13:32

L10	18	L9 and (position$3 or "gps")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:33
L11	18	L9 and (position$3 or "gps" or navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:35
L12	28	L9 and (display or "user interface" or "graphical")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:45
L13	28	L9 and (display or (user near3 interface) or "graphical" or "hci")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:51
L14	14	L9 and ((search$3 or research$3) near4 (data or information or content or item))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:25
L15	6	L9 and (universal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:34
L16	7	L9 and (universal$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37
L17	11	L9 and ((universal$3 or common$2) near3 us$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37
L18	5	L9 and ((universal$3 or common$2) near3 us$3) and characte$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 15:25
L19	24	takashima-norikazu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:46

L20	4	L19 and (accept$3 near3 unit) and (produc $3 near3 unit) and (compil$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:47
L21	8	oikawa-ayumu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
L22	4	L21 and (accept$3 near3 unit) and (produc $3 near3 unit) and (compil$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
S1	2	"20070168912"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 10:06
S2	5243	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((compil $3 near4 (program or source or code or application)) same (execut$4 or run$4)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:26
S3	229	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((compil $3 near4 (program or source or code or application)) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:27

S4	116	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:28
S5	0	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and (check$3 same ((data or program) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:30
S6	0	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:30

		(process or function)) and (check$3 same ((data or program) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S7	32	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((data or program) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:31
S8	0	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((data or program or code) near5 size) and ((terminal or mobile) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32

S9	32	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32
S10	0	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((check$3 or verify$3 or examin$3) near4 ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:33

S11	0	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((check$3 or verify$3 or examin$3) same ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:34
S12	33	((paramete$2 or input) same ((creat$3 or generat$3 or regenerat$3 or develop$5) near5 (program or code or application or source))) and ((instruct$3 or notif$5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:35
S13	1	S12 and ((mobile or remote) near4 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:38

S14	220528	S12 and ((mobile or remote) near4 device) or (PDA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:38
S15	11	S12 and (((mobile or remote) near4 device) or (PDA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:39
S16	68	(((program or source or code) near4 (generat$3 or develop$4 or creat$3 or regenerat$4)) same ((base or basis) near4 (paramete$2 or input))) and (compil$3 near5 (program or source or code)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:43
S17	2	(((program or source or code) near4 (generat$3 or develop$4 or creat$3 or regenerat$4)) same ((base or basis) near4 (paramete$2 or input))) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45
S18	6	(((program or source or code) near4 (generat$3 or develop$4 or creat$3 or regenerat$4)) same ((base or basis) near4 (paramete$2 or input))) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad <	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45

		"20030820" or @prad < "20030820" or @rlad < "20030820")				
S19	737	(((program or source or code) near5 (generat$3 or develop$4 or creat$3 or regenerat$4)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:47
S20	804	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:48
S21	9	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (((investigat$3 or check$3 or examin$3) near3 (program or data or code) near3 size)) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:50

		(@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")				
S22	165	((((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01
S23	196	((((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near4 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01

S24	237	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01
S25	100	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and ((program or code or data or application) near4 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:02

S26	0	(((program or source or code) near5 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and ((program or code or data or application) near4 size) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04
S27	0	(((program or source or code) near5 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04

S28	1	(((program or source or code) near3 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)) same (paramete $2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:05
S29	1	(((program or source or code) near6 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)) same (paramete $2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:07
S30	4	(((program or source or code) near6 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)) same (paramete $2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20060824" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:10

S31	1858	(((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:37
S32	778	(((program or source or code) near6 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38
S33	185	(((program or source or code) near5 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)) same (paramete \$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38

S34	4	(((program or source or code) near5 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)) same ((base or basis or depend$3) near4 paramete$2)) and (compil$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:40
S35	2	"20030149958"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:36
S36	2	"20010046862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:39
S37	2	"6934532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S38	2	"7257620".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S39	2	"6851106".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41
S40	2	"7152229".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41

S41	16	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$). did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:48
S42	7	S41 and (reduc$5 same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:48
S43	7	S41 and ((reduc$5 or decreas$3 or cut$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:52
S44	8	S41 and ((reduc$5 or decreas$3 or cut$4 or monitor$3 or warn$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:53
S45	16	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$). did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:57
S46	10	S45 and (size same (monitor$3 or reduc$4 or cut$4 or decreas$3 or warn$3 or notif$5 or chang$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:59

S47	3	S45 and ((size same (paramete$2 or input)) same (limit$3 or notif $5 or warn$4 or aler $5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 17:09
S48	6361	((paramete$2 or input) same ((creat$3 or generat$3 or produc$3 or regenerat$3) near5 (program or code or application or source))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code) same size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:48
S49	203	((bas$2 or basis) near6 ((paramete$2 or input) same ((creat$3 or generat$3 or produc $3 or regenerat$3) near5 (program or code or application or source)))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code) same size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:50
S50	97	((bas$2 or basis) near6 ((paramete$2 or input) same ((creat$3 or generat$3 or produc $3 or regenerat$3) near5 (program or code or application or source)))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code)near3 size) and (@ad < "20030820" or @prad < "20030820" or @rlad <	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:51

		"20030820")				
S51	90	((bas$2 or basis) near6 ((paramete$2 or input) same ((creat$3 or generat$3 or produc $3 or regenerat$3) near5 (program or code or application or source)))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code) near2 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:52
S52	29	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$). did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/01 22:48
S53	5	S52 and (((limit$3 or eliminat$3 or reduc$3) near4 size) same (inpu $2 or paramete$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/01 22:48

S54	3	S52 and (((input or user) near3 interface) same paramete$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:05
S55	3	S52 and (((input or user or graphical) near7 interface) same paramete$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:08
S56	17	S52 and (((input or user or graphical) near7 interface) same ((generat$4 or produc $4 or regenerat$4) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:09
S57	18	S52 and (((input or user or graphical) near7 interface) same ((generat$4 or produc $4 or regenerat$4 or creat$3) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:10
S58	2	S52 and ((check$3 or compar$3) same (number near6 (input or parameter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:20
S59	2	S52 and ((check$3 or compar$3 or determin $3) same (number near6 (inpu$2 or parameter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:21
S60	2974	(((program or source or code) near6 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)) same (paramete $2 or input)) and ((compar$4 or check $3 or determin$3) near4 (number near4 (inpu$2 or paramete $2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:23

S61	313	(((program or source or code) near6 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar$4 or check$3 or determin$3) near4 (number near4 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26
S62	267	(((program or source or code) near6 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar$4 or check$3 or determin$3) near4 (number near2 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26
S63	61	(((program or source or code) near6 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar$4 or check$3) near4 (number near2 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:29

| S64 | 42 | (((program or source or code) near6 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)) same (paramete $2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3) near4 (number near2 (paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:30 |
| S65 | 2 | "6928579".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:57 |

11/2/09 5:54:10 PM
C:\ Documents and Settings\ cchow\ My Documents\ EAST\ Workspaces\ 10568622new.wsp